

11 Publication number:

0 364 344 Δ3

12

## **EUROPEAN PATENT APPLICATION**

21 Application number: 89402763.0

2 Date of filing: 06.10.89

(1) Int. CI.5: **C07K** 5/02, C07K 5/06, C07K 5/08, C07K 5/10, C07C 237/20, A61K 37/64

3 Priority: 07.10.88 US 254762

② Date of publication of application: 18.04.90 Bulletin 90/16

Designated Contracting States:
AT BE CH DE ES FR GB GR IT LI LU NL SE

Date of deferred publication of the search report: 11.09.91 Bulletin 91/37

71 Applicant: MERRELL DOW PHARMACEUTICALS INC. 2110 East Galbraith Road Cincinnati Ohio 45215-6300(US) ② Inventor: Bey, Philippe 7875 Ivygate Lane Cincinnati Ohio 45242(US) Inventor: Angelastro, Michael 3018 Stratford Court

> Loveland Ohio 45140(US) Inventor: Mehdi, Shujaath 6430 Welton Street

Cincinnati Ohio 45213(US)

Representative: Gillard, Marie-Louise et al Cabinet Beau de Loménie 55, Rue d'Amsterdam F-75008 Paris(FR)

Something Novel peptidase inhibitors.

This invention relates to analogs of peptidase substrates in which the nitrogen atom of the scissile amide group of the substrate peptide has been replaced by a substituted malonyl moiety.

The contemplated peptidase inhibitors of the foregoing enzymes are selected from the generic formula

364 344 A3

급

$$R_1NH$$
 $C-X$ 
 $R_2$ 

the hydrates, isosteres or the pharmaceutically acceptable salts thereof wherein X is

 $R_1$  is hydrogen, an amino protecting group selected from Group K, an  $\alpha\text{-amino}$  acid or a peptide comprised of a number of  $\alpha\text{-amino}$  acid building blocks, said  $\alpha\text{-amino}$  acid or peptide optionally bearing on its terminal nitrogen atom an amino protecting group selected from Group K,

 $R_2$  is the "R group" residue of the  $\alpha$ -amino acid responsible for directing the inhibitor to the active site of the enzyme or is -A-SiR<sub>7</sub>R<sub>8</sub>R<sub>9</sub>, C<sub>1-10</sub> alkyl, aralkyl or aryl with R<sub>7</sub>, R<sub>8</sub> and R<sub>9</sub>, each being selected from C<sub>1-10</sub> alkyl, aralkyl or aryl and A is a C<sub>1-5</sub> alkylene.

 $R_4$  is the specific R-group residue of the  $\alpha\text{-amino}$  acid for that peptidase substrate analog,

R<sub>5</sub> is an α-amino acid or peptide comprised of α-



## EUROPEAN SEARCH REPORT



EP 89 40 2763

tegory		with indication, where appropriate, elevant passages	Relevan to claim	
×	EP-A-0 133 225 (HOFFI Example 5; pages 28-29		3	C 07 K 5/02 C 07 K 5/06
×	1983, pages 122-123, 176 "Intramolecular cross-link properties of oxalyl-and n	, vol. 99, no. 21, 21st Novembe 2031x, Columbus, Ohio, US; ing of insulin. Preparation and nalonyl-bis(methionyl) insulin", N RES. 1983, 22(2), 214-22	1,10,14 24,26,2i 32,34,3i 38	8. C 07 C 237/20
Ą	FR-A-2 537 131 (ROQUI "Whole document"	ES et al.)	i-40	
				TECHNICAL FIELDS SEARCHED (Int., Cl.5)
				C 07 K C 07 C A 61 K
	-			
	The present search report has a Place of search			
		Date of completion of search 19 June 91		Examiner
Y: par doo	CATEGORY OF CITED DOCK rticularly relevant if taken alone rticularly relevant if combined wit cument of the same catagory rhnological background	MENTS E: ex th h another D: do	e filing date scument cited in t scument cited for	